

# PIXMA TS9551Ca

## A3 ALL-IN-ONE FOR THE HOME OFFICE OR HOME CRAFTER



Compact, connected and business-savvy, this A3-capable All-in-One prints, copies and scans with ease.



**A3 All-in-One printer**



Front / Rear  
Paper Feeding

**2-way paper feeder**



ADF

**20-sheet ADF**



Smartphone and  
Tablet print/scan

**Canon PRINT app**



Connectivity

**Wireless and  
Ethernet connectivity**



5 Individual Inks

**5 individual inks**





### Compact A3 solution

Why sacrifice space when this compact All-in-One printer offers A3 printing with a comparable A4 footprint? The compact and sleek design also includes an intuitive 10.8cm (4.3 inch) touchscreen and an oversize copy feature to manage A3 documents with ease.



### Smart and connected

Boost work efficiency by operating your printer with your smartphone. Use the Canon PRINT app and seamless Wi-Fi connectivity to take the fuss out of printing, scanning and copying, or print direct with AirPrint (iOS) and Mopria (Android). You can link up to the local network using the Ethernet connection.



### Direct access

Enjoy total connectivity and take the fuss out of printing. Cloud printing and scanning\* is a breeze using Cloud Link via the Canon PRINT app. You can even integrate PIXMA TS9551ca Series into your smart home and control some basic functions with Alexa-enabled devices\*\*.



### Best for business

PIXMA TS9551ca Series is the perfect home office companion with Ethernet for network connection and cloud scanning\* to Evernote, Dropbox and Google Drive via the Cloud Link. Create booklets straight from the touchscreen and multi-task with the 2-way paper feeder and 20-sheet ADF\*\*\*.



### Professional production

A printer that's perfect for capturing the detail you need. A dedicated pigment black ink keeps text with true clarity while Canon's class-leading FINE printhead technology and 5 individual inks mean photos benefit from rich graduation and up to 100-year album life.

### PRODUCT RANGE



PIXMA TS8750 Series



PIXMA TS7750i



PIXMA TS7650i



\*Scan to cloud and scan to email only available for genuine Canon ink users

\*\*Amazon and Alexa are trademarks of Amazon.com, Inc. or its affiliates

\*\*\*A4/LTR/LGL sizes only

## GENERAL SPECIFICATIONS

**Model Numbers** PIXMA TS9551ca <sup>[10]</sup>  
**Functions** Wireless/Ethernet, Print, Copy, Scan, Cloud link

## PRINTER SPECIFICATIONS

**Print Resolution** Up to 4800 <sup>[1]</sup> x 1200 dpi  
**Print Technology** 5 Individual Inks (PGBK, BK, C, M, Y)  
 ChromaLife100 inks  
**Mono Print Speed** Approx. 15.0 ipm <sup>[2]</sup>  
**Colour Print Speed** Approx. 10.0 ipm <sup>[2]</sup>  
**Photo Print Speed** Borderless 10x15cm : Approx. 12 seconds <sup>[3]</sup>  
**Borderless Printing** Yes (A3, A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm, 10x10cm, 17.5x25cm, 25x30cm, 30x30cm)  
**Two Sided Printing** Auto Duplex Print (A4, A5, B5, LTR - Plain Paper)

## CONSUMABLES AND INK YIELDS

**Standard Ink Cartridges** 5 individual ink tanks  
 PGI-580PGBK (Pigment Black)  
 CLI-581BK (Black)  
 CLI-581C (Cyan)  
 CLI-581M (Magenta)  
 CLI-581Y (Yellow)  
**Optional XL/XXL Ink Cartridges** High yield XL ink tanks  
 PGI-580PGBK XL (Pigment Black)  
 CLI-581BK XL (Black)  
 CLI-581C XL (Cyan)  
 CLI-581M XL (Magenta)  
 CLI-581Y XL (Yellow)

High yield XL ink tanks  
 PGI-580PGBK XXL (Pigment Black)  
 CLI-581BK XXL (Black)  
 CLI-581C XXL (Cyan)  
 CLI-581M XXL (Magenta)  
 CLI-581Y XXL (Yellow)

**Cartridge Yield (Plain paper)** A4 Colour Document <sup>[4]</sup>  
 Pigment Black: 200 pages  
 Pigment Black XL: 400 pages  
 Pigment Black XXL: 600 pages  
 Black: 1451\* pages  
 Black XL: 3120\* pages  
 Black XXL: 6360\* pages  
 Cyan: 256 pages  
 Cyan XL: 515 pages  
 Cyan XXL: 820 pages  
 Magenta: 237 pages  
 Magenta XL: 474 pages  
 Magenta XXL: 760 pages  
 Yellow: 257 pages  
 Yellow XL: 514 pages  
 Yellow XXL: 824 pages  
 \* Estimated supplemental yield

**Cartridge Yield (Photo print)** 10x15cm photo <sup>[5]</sup>  
 Pigment Black: 1263\* photos  
 Pigment Black XL: 3373\* photos  
 Pigment Black XXL: 5500\* photos  
 Black: 231\* photos  
 Black XL: 520\* photos  
 Black XXL: 858\* photos  
 Cyan: 83 photos  
 Cyan XL: 170 photos  
 Cyan XXL: 282 photos  
 Magenta: 108 photos  
 Magenta XL: 225 photos  
 Magenta XXL: 367 photos  
 Yellow: 99 photos  
 Yellow XL: 199 photos  
 Yellow XXL: 322 photos  
 \* Estimated supplemental yield

## PAPER SUPPORT

**Paper Types** Plain Paper  
 Canon High Resolution Paper (HR-101N)  
 Canon Pro Platinum (PT-101)  
 Canon Plus Glossy II (PP-201)  
 Canon Pro Luster (LU-101)  
 Canon Plus Semi-gloss (SG-201)  
 Canon "Everyday Use" (GP-501)  
 Canon Matte (MP-101)  
 Canon Double Sided Matte (MP-101D)  
 Envelopes  
 Other Fine Art Papers  
 Printable Discs

## Maximum Paper Input

Removable Photo Stickers (RP-101)  
 Magnetic Photo Paper (MG-101)  
 Dark Fabric Iron on Transfers (DF-101)  
 Light Fabric Iron on Transfers (LF-101)  
 Premium Fine Art Rough (FA-RG1)  
 Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets A4/ 50 sheets A3 (plain paper)  
 Front Cassette: Max. 100 sheets (plain paper)

## Paper Sizes

Multi-purpose Tray: 1 printable CD, DVD or Blu-Ray Disc  
 Rear Tray: A3/A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/  
 13x13cm/8.9x8.9cm/10x10cm/17.5x25cm/25x30cm/  
 30x30cm, Envelopes(DL,COM10)  
 [Custom size] width 55mm - 215.9 mm, length 89mm - 676mm

## Paper Weight

Front Cassette: A4, A5, B5, LTR  
 [Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm  
 Rear Tray: Plain paper 64 - 105 g/m<sup>2</sup>, Canon photo paper up to 300 g/m<sup>2</sup>  
 Front Cassette: Plain Paper: 64-105 g/m<sup>2</sup>

## SCANNER SPECIFICATIONS

**Scanner Type** Flatbed, ADF and CIS colour scanner  
**Scanner Resolution (Optical)** 1200 x 2400 dpi <sup>[6]</sup>  
**Scanning Depth (Input / Output)** Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit  
**Maximum Document Size** Flatbed: A4, LTR (216x297mm)  
 ADF: A4, LTR, LGL

## COPIER SPECIFICATIONS

**Copy Speed** sFCOT: Approx. 19sec<sup>[7]</sup>  
 sESAT: Approx. 6.5ipm<sup>[7]</sup>  
 sESAT ADF: Approx. 5.9 ipm<sup>[7]</sup>  
 99 copies max.  
**Multiple Copy** Document Copying  
 Photo Copying  
 Borderless copy  
 2-sided copy  
 2-on-1 and 4-on-1 copy  
 Frame erase copy  
 Disc Label Copy  
 ID copy  
**Copy Functions** 25 - 400% (in 1% increments)  
 Fit to page  
 A5 to A3, B5 to B4, A4 to A3, A5 to A4, B5 to A4, A4 to B5, A4 to A5  
**Copy Zoom**

## INTERFACE

**Display Type & Size** 10.8cm LCD (TFT colour/Touch)  
**Display Languages** 33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/Croatian/Vietnamese

## CONNECTIVITY

**Standard Interface** Hi-Speed USB (B Port)  
 Ethernet: 10/100Mbps (auto switchable)  
 Wi-Fi: IEEE802.11 b/g/n/a <sup>[11]</sup>  
 Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password  
 Wireless LAN Frequency Band: 2.4GHz

## Mobile Apps

Canon PRINT app <sup>[12]</sup>  
 Easy-PhotoPrint Editor app <sup>[13]</sup>  
 Creative Park app <sup>[14]</sup>

## Printer Features

Easy-PhotoPrint Editor Software <sup>[15]</sup>  
 PIXMA Cloud Link <sup>[16]</sup>  
 Canon Print Service Plugin (Android) <sup>[17]</sup>  
 Apple AirPrint <sup>[18]</sup>  
 Wireless Direct <sup>[19]</sup>  
 Mopria (Android) <sup>[20]</sup>  
 PosterArtist Web  
 LAN/WLAN PictBridge  
 Memory Card Slot

**SOFTWARE****Supported Operating Systems**

Windows 11, Windows 10, Windows 8.1, Windows 7 SP1  
Operation can only be guaranteed on a PC with pre-installed Windows 7 or later  
NET Framework 4.5.2 or 4.6 is required  
OS X 10.10.5~OS X 10.11, macOS 10.12~macOS 10.14 (Sonoma)

**Supported Mobile Systems**

iOS, Android, Windows 10 Mobile [21]

**Operational Requirements**

Display: 1024 x 768 XGA

**PHYSICAL FEATURES****Weight**

approx. 9.7kg

**Dimensions (W x D x H)**

With the trays retracted approx. 468 x 366 x 193 mm  
With the trays extended: Approx. mm

**Acoustic Noise Levels**

approx. 49.5(A) [8]

**Recommended Operating Environment**

Temperature: 15-30°C  
Humidity: 10-80%RH (no dew condensation)

**Power Source**

AC 100-240V, 50/60Hz

**Power Consumption**

Off: Approx. 0.3W  
Standby (connected to PC via USB): Approx. 1.2W (scanning lamp off)  
Standby (all ports connected): Approx. 2.0W (scanning lamp is off)  
Time to enter Standby mode: 10min 56sec  
Copying: Approx. 14W [9]

## Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [4] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- [5] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
- [6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.  
Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.
- [7] Copy speeds (ADF) are ESAT of copy in sequence, ISO/IEC 24735.  
Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- [8] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
- [9] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [10] Some colours may not be available in your region.
- [11] Wireless printing requires a working network with wireless 802.11b/g/n/a or ac capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.  
Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.  
The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.  
Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.  
The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.  
The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [13] PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [14] Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.  
The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [15] PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [16] PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- [17] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.  
AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- [18] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- [19] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- [20] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.
- [21] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.

## Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see [www.canon-europe.com/ink/yield](http://www.canon-europe.com/ink/yield)
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

**A3 ALL-IN-ONE FOR THE HOME  
OFFICE OR HOME CRAFTER**

# PIXMA TS9551Ca

Compact, connected and business-savvy, this A3-capable All-in-One prints, copies and scans with ease.

**Sales Start Date: May 2024**



## Product details

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA TS9551Ca EUR WH	2988C056AA	4549292236286	<Please fill in RRP>

## Consumables

### CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price
<b>Standard size</b>			
PGI-580 PGBK	2078C001AA	4549292087062	<Please fill in RRP>
CLI-581 BK	2106C001AA	4549292087079	<Please fill in RRP>
CLI-581 C	2103C001AA	4549292087086	<Please fill in RRP>
CLI-581 M	2104C001AA	4549292087093	<Please fill in RRP>
CLI-581 Y	2105C001AA	4549292087116	<Please fill in RRP>
<b>XL size</b>			
PGI-580XL PGBK	2024C001AA	4549292086980	<Please fill in RRP>
CLI-581XL BK	2052C001AA	4549292086997	<Please fill in RRP>
CLI-581XL C	2049C001AA	4549292087017	<Please fill in RRP>
CLI-581XL M	2050C001AA	4549292087024	<Please fill in RRP>
CLI-581XL Y	2051C001AA	4549292087031	<Please fill in RRP>
<b>XXL size</b>			
PGI-580XXL PGBK	1970C001AA	4549292086836	<Please fill in RRP>
CLI-581XXL BK	1998C001AA	4549292086874	<Please fill in RRP>
CLI-581XXL C	1995C001AA	4549292086898	<Please fill in RRP>
CLI-581XXL M	1996C001AA	4549292086928	<Please fill in RRP>
CLI-581XXL Y	1997C001AA	4549292086959	<Please fill in RRP>

**A3 ALL-IN-ONE FOR THE HOME  
OFFICE OR HOME CRAFTER**

# PIXMA TS9551Ca

Compact, connected and business-savvy, this A3-capable All-in-One prints, copies and scans with ease.



## Measurement / logistic information

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS9551Ca EUR WH	2988C056AA	EA	Individual	1	550	272.5	484	12.3	11
			Pallet (Upper)	16	1,111	1101	972.5	210	197.9
			Pallet (Bottom)	24	1,111	1101	1456.5	298.5	296.9

## A3 ALL-IN-ONE FOR THE HOME OFFICE OR HOME CRAFTER

# PIXMA TS9551Ca

Compact, connected and business-savvy, this A3-capable All-in-One prints, copies and scans with ease.



### What's in the box

#### PIXMA TS9551Ca

- All-In-One A3 inkjet printer – PIXMA TS9551Ca EUR WH
- Set-up ink tanks
- Power cord
- Set-up CD-ROM
- Manuals and other documents

