PIXMA TS7650i

THE SMART, **HIGH-QUALITY** 3-IN-1 WITH **HASSLE-FREE** INK **SUBSCRIPTION**

A fast, high-quality printer that seamlessly slots into your home life thanks to its compact size and streamlined controls, and supports the PIXMA Print Plan for huge potential savings on ink costs.







PIXMA Print Plan

Save up to 50% on ink costs1. Choose a monthly subscription plan that suits your usage and have ink delivered to your home at no extra charge whenever supplies run low. Document or photo, one print is one page from vour plan

Simple, intuitive III

Enjoy effortless operation with the streamlined, customisable Switch UI system, which tailors available functions to your needs: work, study or lifestyle

Get your documents quickly² with fast print speeds of 15ipm (mono) and 10ipm (colour), and print a borderless 4x6" photo in just 19 seconds

Outstanding print quality

The PIXMA TS7650i's FINE print head technology results in excellent print quality for a compact printer, with rich gradation and reduced graininess

Mobile printing

Printing from mobile devices couldn't be easier, thanks to support for Apple AirPrint, Mopria for Android and the Canon PRINT app

Superb productivity

Save time with smart productivity features including one-push copy, automatic two-sided printing and scan to smartphone

Wireless connectivity

Print wirelessly from a wide range of devices by connecting to your home network, or connect straight to the printer with Wireless Direct













PRODUCT RANGE

6.7 cm / 2.7" Touch



Canon PIXMA TS7650i TS7750i

Canon PIXMA TS7650i

Canon PIXMA



Canon PIXMA TS7750i



Live for the story_

TECHNICAL SPECIFICATIONS

PIXMA TS7650i

GENERAL SPECIFICATIONS

Functions Wi-Fi, Print, Copy, Scan, Cloud

PRINTER SPECIFICATIONS

Print Resolution Up to 1200 [1] x 1200 dpi

Print Technology 2 FINE Cartridges (Black and Colour)

Mono Print Speed Approx 15.0 ipm [2] Colour Print Speed Approx. 10.0 ipm [2]

Photo Print Speed Borderless 10x15cm : Approx. 19 seconds [2]

Borderless Printing

A4, B5, LTR, 4" x 6", 5" x 7", 8" x 10", Card Size (91 mm x 55 mm), Square (89 mm x 89 mm), Square (127 mm x 127 mm)

Two Sided Printing Auto Duplex Print (A4, LTR - Plain Paper)

CONSUMABLES AND INK YIELDS

Standard Ink Cartridges PG-585 (Black) CL-586 (Colour)

Optional XL Ink Cartridges PG-585XL (Black) CL-586XL (Colour)

Maintenance cartridae MC-G06 (User Replaceable) Cartridge Yield (Plain paper) A4 colour documents printing [3]

Black: 180 pages
Black XL: 300 pages
Colour: 180 pages
Colour XL: 300 pages 10x15cm photo [3]

Colour: 65 pages Colour XL: 109 pages

PAPER SUPPORT

Maximum Paper Input

Cartridge Yield (Photo print)

Paper Types

Plain Paper(64 g/m² - 105 g/m²).
Canon Red Label Superior(WOP111)
Canon Oce Office Colour Paper(SA1213)
Photo Paper Pro Platinum (PT-101),
Photo Paper Pro Luster (LU-101),
Photo Paper Plus Semi-gloss (SG-201),
Glossy Photo Paper "Everyday Use" (GP-501)
Matte Photo Paper (WP-101),
Photo Paper Plus Glossy II (PP-201)
Potts Erbir Lang on Targetar (ME-101)

Dark Fabric Iron on Transfers (DF-101) Light Fabric Iron on Transfers (LF-101) Rear Tray: Max. 20 sheets (photo paper) or

Max. 100 sheets (plain paper)
Front Cassette: Max. 100 sheets (plain paper)

Rear Tray: A4, A4 Art paper, A5, B5, LTR, LTR Art paper, LGL, #10 Envelope, DL Envelope, Card Size (91 mm x 55 mm), 4" x 6", 5" x 7", 7" x 10", 8" x 10", Square (89 mm x 89 mm, 127 mm x 127 mm), Paper Sizes

(width: 55 mm - 215.9 mm, length: 89 mm - 1200 mm)

Front Cassette: A5,A4,B5,LTR

Plain Paper: 64 g/m^2 - 105 g/m^2 , or supported genuine Canon papers Paper Weight

Canon paper: max paper weight : approx. 300 g/m² (Photo Paper Pro Platinum PT-101)

SCANNER SPECIFICATIONS

Scanner Type

Scanner Resolution (Optical) Scanning Depth (Input / Output)

Maximum Document Size

Flatbed, CIS colour scanner 1200 x 2400 dpi [4]

Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit Flatbed: A4, LTR (216 x 297mm) COPIER SPECIFICATIONS

sFCOT: Approx. 18 sec. [5] sESAT: Approx. 7.0 ipm [5] Copy Speed

Multiple Copy

Copy Functions Document Copying, Photo Copying, Borderless copy, 2-

sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy (Flatbed only), ID copy, Oversized copy, Tiling copy

25 - 400% Fit to page Copy Zoom

INTERFACE

Display Type & Size 2.7 inch/6.7cm | CD(Touch Screen, Color)

Display Languages

2.7 inchrys./cmt.corploudriscleeri, Color)
33 Languages Selectable: Japanese/English
(mm & inch)/German/French/Italian/Spanish/Dutch/
Portuguese/Norwegian/Swedish/Danish/Finnish/
Russian/Czech/Hungarian/Polish/Slovener/Turkish/
Greek/Simplified Chinese/Iradifional Chinese/
Korean/Indonesian/Slovakian/Estonian/Latvian/
Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/
Croatian/Vietnamese

CONNECTIVITY

Standard Interface Hi-Speed USB (B Port)

Wi-Fi: IEEE802.11 b/g/n ® Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP Wireless LAN Frequency Band: 2.4GHz/5GHz

Mobile Apps

Canon PRINT app [9] Easy-PhotoPrint Editor app [10] Creative Park app [11]

Printer Features Easy-PhotoPrint Editor Software [12]

PIXMA Cloud Link [13] Canon Print Service Plugin (Android) [14]

Apple AirPrint [15]
Wireless Direct [14]
Mopria (Android) [17]
PosterArtist Web

SOFTWARE

Supported Operating Systems

Windows 11, Windows 10, Windows 8.1,

Operation can only be guaranteed on a PC with pre-installed Windows 7 or later.

iOS, iPadOS, Android, ChromeOS [18]

macOS 10.15.7 ~ macOS 13

Supported Mobile Systems

Operational Requirements

Display: 1024 x 768 XGA

PHYSICAL FEATURES Weight

Acoustic Noise Levels Recommended Operating

Environment

Power Source Power Consumption approx. 48.0(A) [6]

Temperature: 15-30°C Humidity: 10-80%RH (no dew condensation) AC 100-240V, 50/60Hz

Off: Approx. 0.1W Standby (connected to PC via USB): Approx. 0.9W Standay (controlled to PC via uss); Applox. 0.79W (scanning lamp off)
Standby (all ports connected); Approx. 1.5W (scanning lamp is off)
Time to enter Standby mode: 10min
Copying: Approx. 21W [7]

With the trays retracted approx. 374 x 350 x 168 mm

With the travs extended: Approx. 374 x 563 x 276 mm

TECHNICAL SPECIFICATIONS

PIXMA TS7650i

Footnotes:

- Ink droplets can be placed with a minimum pitch of 1/1200 inch
- Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.
- Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standa
- Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183.

 Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- (6) Acoustic Noise is measured based on ISO7779 standard(colour printing) with default setting.
- [7] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings
- Wireless printing requires a working network with wireless 802.11b/g/n/a or ac capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- PI Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with IPad, IPhone 3GS or later, and IPod touch 3rd generation or later devices running IOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media accounts Terms of Service. Certain exceptions may apoly.
- [10] The Easy-PhotoPrint Editor software requires an Internet connection and is compositible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 8.7 (64-bit/32-bit), Microsoft Windows 8.7 (64-bit/32-bit), Microsoft Windows 7.5 11 (64-bit/32-bit), Microsoft Windows 8.7 (64-bit/32-bit), Microsoft Windows 8.7 (64-bit/32-bit), Microsoft Windows 9.7 (64-
- Plus Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play, Compatible with iOS 1:2.0 or later/Android OS 5.0 or later operating systems. You must have a Canon iD and a Canon inlikely printer to use this app.
- The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 78 (14-bit/32-bit), Microsoft Windows 78 (14-bit/32-bit), Microsoft Windows 78 (14-bit/32-bit), Microsoft Windows 78 (14-bit/32-bit), Microsoft Windows and Windows and MacOS X El Capitan v10.10.5. Minimum Windows and MacOS/MacOS X requirements are: 2GB of RAM and a monitor with 10/24/26 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor appl v1.10, available for free on the App Store and at Google Play. Compatible with IPad Air2 (2nd Generation), IPad Mini 4 and IPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG.
 - Andrial mobile devices turning Anarola as an European Contain Contain
- The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems: Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7.5P1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X.El Capitan v10.11 and Mac OS X.El Capitan v10.11 and Mac OS X.El Capitan v10.10.5 Minimum Windows and macOS/Mac OS X requirements are: 250.6 FRAM and a monitar with 10/246788 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor application and the Easy-PhotoPrint Editor and Vindows Store and at Google Play. Compatible with Prod Air (2 Pad Generation), IPad Mini 4 and IPhone 6s or later devices running jOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running jOS 11 and mac OS v10.13 or later). DLP save data, Poster Artist export data, EasyPhotoPrint Editor export data.
- [14] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirProt Base station, or Time Capsule is not supported.
- [14] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- [17] Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service preloaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- [18] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.

Standard disclaime

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of pager used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon.europe.com/ink/vield
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size atc.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2023

THE SMART, HIGH-QUALITY 3-IN-1 WITH HASSLE-FREE INK SUBSCRIPTION

PIXMA TS7650i

A fast, high-quality printer that seamlessly slots into your home life thanks to its compact size and streamlined controls, and supports the PIXMA Print Plan for huge potential savings on ink costs.

Sales Start Date: October 2023



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price	
PIXMA TS7650i	6256C006AA	4549292221329	<please fill="" in="" rrp=""></please>	

PRODUCT CODES FOR CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price				
Standard size							
PG-585	6205C001AA	4549292223378	<please fill="" in="" rrp=""></please>				
CL-586	6227C001AA	4549292223408	<please fill="" in="" rrp=""></please>				
XL size							
PG-585XL	6204C001AA	4549292223361	<please fill="" in="" rrp=""></please>				
CL-586XL	6226C001AA	4549292223408	<please fill="" in="" rrp=""></please>				
Maintenance Cartridge							
MC-G06	6259C001AA	4549292221497	<please fill="" in="" rrp=""></please>				

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TS7650i	6256C006AA	Individual	1	517.0	239.0	443.0	8.8	6.3
		Pallet (Upper)	16	1042.0	964.0	890.5	142.3	100.8
		Pallet (Bottom)	24	1042.0	964.0	1333.5	212.7	151.2

What's in the box?

- Canon PIXMA TS7650i
- FINE cartridges
- Power cord
- · Manuals and other documents

