

HP7 2-Family Kit

Smart Home Video Doorphone System

One unified smart entrance system for double convenience

The HP7 2-family kit stands ready to assist two families that share the same main entrance and want advanced smart, remote features to control their home access separately. Consisting of two individual speak buttons and two standalone indoor monitors, the new system allows each of the homeowners to respond to visitors, view high-resolution videos, check detection alerts and manage user access in a much simpler way, even from their smartphones.



Separate Control for 2 Family Units



Independent 7-Inch Touch Screen for Each Family



Remote Door/Gate



2-Wire Installation Connect

SEZVIZ

Family A



2K Resolution



Remote Controls via the EZVIZ App



Smart RFID Unlocking (3 tags for each family)



(with multiple

Built-In Doorbell



Al-Powered Human Shape Detection



IR Night Vision



Supports Dual-Band Wi-Fi 6 (2.4 / 5 GHz)



) Two-Way Talk



3 Name Cards



Weatherproof Design



Supports MicroSD Card (Up to 512 GB) & EZVIZ CloudPlay Storage²

Dual access system, shared peace of mind

The HP7 2-family kit is designed to protect the entrance of two households in a reliable and elegant way. Visitors can easily find the right button to call the right family via the outdoor doorphone, which also serves as a smart 2-in-1 camera that detects and notifies the users with real-time mobile alerts even before someone knocks.



A separate touch monitor for individual controls in each household

Although sharing the main entrance, each family has their own complete controls over the system. It's easy to keep track of comings and goings via the indoor monitor, while you can choose to customize your own access settings and manage history videos as you'd prefer.

Versatile features

Crisp live viewing


Two-way talk

Gate / door unlocking


Video history and storage

(Supports microSD card of up to 512 GB)

Family A




Family B




Built to be reliable for houses and villas

For those who have a shared entrance in houses and villas but want to maintain their privacy and not disturb their neighbors, the HP7 2-family kit is the ideal solution. Featuring an optimized 2-wire installation process, the kit greatly simplifies the setup and operation of an intercom system for two families and eliminates the need to disrupt or overhaul the existing system.









Manage your door easily even remotely

Heavy dangling keys can now be history. The HP7 2-family kit provides far easier access controls while adding visual protection to verify your visitors.



Swipe open with smart RFID (3 tags for each family)




Use temporary visitor codes



Scan a visitor QR code



Unlock via the indoor monitor




Open the door using the **EZVIZ App**

It's easier than ever to respond from afar


Even if you're not home, the device makes sure you don't miss a visitor. You can always use your phone to stay connected, and open the door for guests remotely. When responding to uninvited strangers, you can enable change the voice feature to keep yourself unidentified and to add another layer of protection.







Voice Changer for Privacy Protection





Impressive vision through day and night

It's time to upgrade your outdated intercom system and say goodbye to its blurry and distorted images. The device offers crystal-clear 2K resolution and head-to-toe visibility, as well as reliable IR night vision, so you can always keep an eye on your front door, whether it's a late night visit or an early morning delivery.

Enhanced and free detection that benefits both units

No matter who appears at the shared entrance, the device will immediately detect their activities and send notifications to both families' mobile phones. Also, both units have the flexibility to fine-tune the detection sensitivity according to their preferences, and set up specific detection zones to reduce unwanted alerts.³



Al-Powered Human Shape Detection



Adjustable Detection Sensibility



Customizable Detection Zone



No Subscription Fee



Thoughtful features for additional convenience



Knows the right door to knock with backlighted name cards



Customizes your pleasant ring with multiple ringtone choices⁴

Elegant design elevates your front door

The HP7 2-family kit adopts a refined, minimalist look, with a simple, consistent glossy black for both devices. A standout from traditional intercoms, the device satisfies modern tastes for a stylish home. The indoor monitor screen also maxmizes the touch area, enhancing the whole user experience.






Steady connection for boosted performance

To maximize the connected experience with remote controls, you can connect the indoor monitor to either the 2.4 or 5 GHz band. Enjoy strong Wi-Fi with lower latency, larger bandwidth, and a stable signal.



Enhanced viewing pleasure with smaller video files

Compared to the prevailing H.264 video compression technology, H.265 creates a more fluid viewing experience with recorded videos. Meanwhile, you won't have to worry about large video files taking up too much of your storage space – H.265 technology reduces their sizes by up to 50%.⁵



Extra-Large, safe storage options that you can trust

You can secure your recorded videos on a local microSD card of up to 512 GB, or subscribe to EZVIZ CloudPlay for fully-encrypted cloud storage.²








Supports EZVIZ CloudPlay Storage

We're committed to protecting with trust

We put security as the primary goal of every product and system that we build. We have also developed various privacy features and flexible settings that you can use at any time to feel even safer.

Learn more about our security practices >

Privacy Zone⁶



End-to-end
Data Encryption

AESData Encryption

TLSData Transmission
Encryption

Our global certifications in the fields of information security, privacy information security, and cloud security

Our global certifications in the fields of information security, privacy information security, and cloud security

Our global certifications in the fields of information security, privacy information security, and cloud security

Our global certifications in the fields of information security, privacy information security, and cloud security

Our global certifications in the fields of information security, privacy information security, and cloud security

Our global certifications in the fields of information security, privacy information security, and cloud security

Our global certifications in the fields of information security, privacy information security, and cloud security

Our global certifications in the fields of information security, and cloud security

Our global certifications in the fields of information security, and cloud security

Our global certifications in the fields of information security, and cloud security

Our global certification security, and cloud security security security security security security securit

- 1 To check the installation requirements and product compatibility, please refer to the User Manual for detailed information.
- 2 The local storage card must be purchased separately. The cloud storage service is only available in certain markets. Please verify the availability before making a purchase.
- 3 Each family can fine-tune the detection zone and the detection sensitivity via their mobile phones. Please note, however, that the settings of the other family will be updated if a family adjusts the settings.
- 4 Users are able to customize the ringtone sent by the indoor display by touch controls or via the EZVIZ App. The outdoor doorbell only provides one default ringtone and cannot be customized.
- 5 Data from EZVIZ Lab's test results under standard conditions. The video compression efficiency will vary with the frequency and complexity of the activity captured, and other environmental factors.
- 6 Users can draw in rectangles to customize up to 4 privacy zones.

Specifications cs-hp7-r200-1w2TFC

Outdoor Panel Parameters

Image Sensor 1/2.7" Progressive Scan CMOS (Supports low light sensitivity)

Lens 2.0 mm @ F2.2, viewing angle: 162° (Diagonal)

Day & Night IR-cut filter with auto-switching, 850 nm infrared light × 2

(max. 6 m)

Max. Resolution $2K (2048 \times 1296)$

DNR 2D / 3D DNR

Video Compression H.265 / H.264

Frame Rate Max: 15fps; Self-adaptive during network transmission

Outdoor Panel Interface

Audio Input Built-in high-sensitivity microphone

Audio Output Built-in high-power speaker

Doorbell Button Supports 2 buttons; Can set the light on or off

Name Card Supports handwritten; 3 cards stickers included

(1 sticker already on the intercom panel)

Terminal Two wiring ports to connect screen

Two wiring ports to connect gate

Two wiring ports to connect electric strike plate

Functions

Intelligent Alarm Smart human motion detection, lingering detection

Tamper Alarm Supports

Video Intercom Long-distance video two-way talk

Connection and Function

Connection Method Wired connection (2-Wired, capable with 4-Wired),

Digital signal transmission

Transmission Distance Φ 2 x 0.75 mm2: max.50 m

Φ 2 x 1.5 mm2: max.100 m Twisted pair: max.120 m

Open the door (Gate) Supports 2 wiring ports; 1 - 10 m distance

The intercom panel provides a "dry"-contact connection, without an electric current, to connect to the button for automated gate, gate breaking capacity: 12V / 2A

Unlock Supports 2 wiring ports; 1 - 10 m distance

(Electric Strike Plate) The electric strike plate or lock that you order must have a mechanical memory; the power supply to the

electric strike plate or lock must not exceed 12V / 1.1A,

other wise should do as user manual

Door Open Methods 1. RFID badge unlock (3 pcs / family)

2. App remote unlock3. Indoor monitor unlock

4. QR code unlock

General (Outdoor Panel)

Operation Conditions -30°C to 60°C, Humidity 95% or less (non-condensing)

IP Grade Waterproof, with shield cover

Power Supply 24V DC from screen

Indoor Monitors

Display Size 7" touch screen

Resolution 1024 × 600

Specifications cs-HP7-R200-1W2TFC

Interface

Audio Input Built-in high-sensitivity microphone

Audio Output Built-in high-power speaker

Button Screen on / off button

Terminal Two wiring ports to connect the outdoor panel

MicroSD Card Supports microSD card (max. 512 GB)

Network Parameters

Protocol EZVIZ Cloud Proprietary Protocol

Interface Protocol EZVIZ Cloud Proprietary Protocol

Wi-Fi Parameters

Wi-Fi Standard IEEE802.11b, 802.11g, 802.11n, 802.11ac

Frequency Range 2.4GHz ~ 2.4835GHz 5.15GHz ~ 5.25GHz

Channel Bandwidth Supports 20MHz

Security 64 / 128-bit WEP, WPA / WPA2, WPA-PSK / WPA2-PSK

Transmission Rate 11b: 11Mbps, 11g: 54Mbps, 11n: 150Mbps, 11ac: 433.3Mbps

Function

Multiple ringtones Up to 20 ringtones

Functions Live view, playback, two-way talk, video call

General (Indoor Monitor)

Operation Conditions -10°C to 45°C, Humidity 95% or less (non-condensing)

Power Supply DC 24V / 1A power supply, adaptor (100- 240Vac)

Power Consumption 8W, Max. 24W

General (HP7 2-Family Kit)

Weight Net weight: 1010 g (35.63 oz)

Size Screens: $180 \times 111 \times 15 \text{ mm} (7.09 \times 4.37 \times 0.59 \text{ inch})$

Outdoor Panel: 161 × 87 × 22 mm (6.34 × 3.43 × 0.87 inch)

In the box

- Monitor × 2
- Wall Bracket for Monitor × 2
- Power Adapter for Monitor × 2
- Drill Template for Monitor × 2
- Intercom Panel (Doorbell) with a Weather-proof Shield
- Drill Template for Intercom Panel
- Screwdriver
- Badges × 6
- Screw Kit × 3
- Name Card × 2
- Wires and Wire Connectors × 2
- DC 24V Power Supply Jack Connector Cable × 2
- Regulatory Information × 2
- Quick Start Guide × 2

Certifications

CE / REACH / WEEE / RoHS

Specifications are subject to change without notice. " ** ", " EZVIZ" and other trademarks and logos are the properties of EZVIZ in various jurisdictions.